

# Gayatri Engineering Works

Plot No. I-114, Opp. Sab Chem., Phase 4th, G.I.D.C. Estate,  
V. U. Nagar-388121, Anand (Guj.) Telefax : +91-2692-230727  
Email : inquiry@papadmachinery.com  
Email : papadmachinery@gmail.com  
[www.papadmachinery.com](http://www.papadmachinery.com)

*Most Trusted Name in Indian Papad Making Machinery and all type of Food Machinery.....*



Flour kneading & Flat (Roll)  
Making Machine 10 kg




Flour kneading & Flat (Roll)  
Making Machine 20 kg




Flat (Roll) Making Machine  
(Extruder)



Flour kneading Machine  
10 kg, 20 kg



Semi Auto Papad Machine (Standard)



Semi Auto Papad Machine (Delux)



Heavy Duty Flat (Roll) Making Machine



Heavy Duty Flour Kneading Machine (20 kg, 30 kg, 50 kg, 100 kg)

**Fully Automatic Papad Making Machine with Diesel Fired, Gas Fired and Wood Fired Dryer Machine**

1. Manual Papad Machine Set
2. Semi Automatic Papad Machine
3. Fully Automatic Papad Machine
4. Electric, Diesel, Gas, Wood Fired Papad Dryer Machine
5. Rotty, Puri and Chapati Making Machine



Heavy Duty  
Auto Papad Machine



Rotty, Puri and Chapati  
Making Machine



Hot Air Generator



Electric, Diesel, Gas, Wood Fired  
Papad Dryer Machine



Control Panel Box



Die



Gear Motor



Motor



Gear Box



Fully Automatic Papad Making  
Machine with Dryer

## Salient Features

1. All components in contact with the dough are food graded.
2. Thickness of Papad, Mathia, Chorafali, Puri & Rotty can be regulated to match with your specifications.
3. Less maintenance & low power consumption.
4. Completely ungradable to suit your specific requirements.
5. Operated by single / Three phase electric motor (Crompton).
6. A fully safe & covered body designed to prevent dust & control noise generation.
7. Variable units are available according to their size & your requirements.

[www.papadmachinery.com](http://www.papadmachinery.com)



Heavy Duty Flour Kneading Machine



Heavy Duty Extruder Machine

## Gayatri Engineering Works

Plot No. I-114, Opp. Sab Chem., Phase 4th, G.I.D.C. Estate,  
V. U. Nagar-388121, Anand (Guj.) Telefax : +91-2692-230727  
Email : [inquiry@papadmachinery.com](mailto:inquiry@papadmachinery.com), [papadmachinery@gmail.com](mailto:papadmachinery@gmail.com)  
Mobile : +91 98980 36760, 98794 30401, 99983 98928

# **GAYATRI ENGINEERING WORKS.**

**MANUFACTURERS OF PAPAD MACHINERY SUPPLIERS OF PAPAD MACHINERY**

Plot No. :- I- 114, Opp. Sab Chem., 4<sup>th</sup> Phase, G.I.D.C. Estate., V.U.Nagar- 388 121. (Anand). Gujarat.

Phone no. (02692) 230727., Email : inquiry @ papadmachinery.com., nputsav@yahoo.com

Website : [www.papadmachinery.com](http://www.papadmachinery.com)


Nilesh Patel (M) :- 098980 36760

**Pries list**

**( EFFECT FROM 01/04/2014)**



**(1).Semi Auto Papad Machine Standard., Delux.,**



**(2). Semi Auto Papad Machine Super Delux.**


<b>Sr.No</b>	<b><u>Utsav Food Machinery Brand Papad Machine.</u></b> <b>(Production / 8 Hour )</b>	<b>Required HP</b>
<b>01.</b>	Papad Manual Machine Set. <b>Capacity :- 50 Kg.</b>	<b>2.5 HP</b>
<b>02.</b>	Semi Auto Papad Machine. <b>Capacity :- 80 Kg – 100 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 7 inch dia X 14 inch width.	<b>0.5 HP</b>
<b>03.</b>	Semi Auto Papad Machine. <b>Capacity :- 80 Kg – 100 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 7 inch dia X 14 inch width.	<b>1.0 HP</b>
<b>04.</b>	Semi Auto Papad Machine. <b>Capacity :- 80 Kg – 100 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 7 inch dia X 14 inch width.	<b>1.5 HP</b>
<b>05.</b>	Semi Auto Papad Machine. <b>Capacity :- 100 Kg – 120 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 8 inch dia X 14 inch width.	<b>1.0 HP</b>
<b>06.</b>	Semi Auto Papad Machine. <b>Capacity :- 100 Kg – 120 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 8 inch dia X 14 inch width.	<b>1.0 HP</b>
<b>07.</b>	Semi Auto Papad Machine. <b>Capacity :- 100 Kg – 120 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 8 inch dia X 14 inch width.	<b>2.0 HP</b>
<b>08.</b>	Semi Auto Papad Machine. <b>Capacity :- 150 Kg – 200 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 14 inch width.	<b>1.5 HP</b>
<b>09.</b>	Semi Auto Papad Machine. <b>Capacity :- 150 Kg – 200 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 14 inch width.	<b>1.5 HP</b>
<b>10.</b>	Semi Auto Papad Machine. <b>Capacity :- 150 Kg – 200 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 14 inch width.	<b>3.0 HP</b>
<b>11.</b>	Semi Auto Papad Machine. <b>Capacity :- 200 Kg – 220 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 16 inch width.	<b>2.0 HP</b>
<b>12.</b>	Semi Auto Papad Machine. <b>Capacity :- 200 Kg – 220 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 16 inch width.	<b>2.0 HP</b>
<b>13.</b>	Semi Auto Papad Machine. <b>Capacity :- 200 Kg – 220 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 16 inch width.	<b>4.0 HP</b>
<b>14.</b>	Semi Auto Papad Machine. <b>Capacity :- 230 Kg – 250 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 18 inch width.	<b>2.0 HP</b>
<b>15.</b>	Semi Auto Papad Machine. <b>Capacity :- 230 Kg – 250 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 18 inch width.	<b>2.0 Hp</b>

16.	Semi Auto Papad Machine. <b>Capacity :- 230 Kg – 250 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 18 inch width.	<b>4.0 Hp</b>
17.	Semi Auto Papad Machine. <b>Capacity :- 250 Kg – 300 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 20 inch width.	<b>2.0 Hp</b>
18.	Semi Auto Papad Machine. <b>Capacity :- 250 Kg – 300 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 20 inch width.	<b>2.0 Hp</b>
19.	Semi Auto Papad Machine. <b>Capacity :- 250 Kg – 300 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 20 inch width.	<b>4.0 Hp</b>
20.	Semi Auto Papad Machine. <b>Capacity :- 300 Kg – 350 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 22 inch width.	<b>3.0 Hp</b>
21.	Semi Auto Papad Machine. <b>Capacity :- 300 Kg – 350 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 22 inch width.	<b>3.0 Hp</b>
22.	Semi Auto Papad Machine. <b>Capacity :- 300 Kg – 350 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 22 inch width.	<b>5.0 Hp</b>
23.	Semi Auto Papad Machine. <b>Capacity :- 350 Kg – 400 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 24 inch width.	<b>3.0 Hp</b>
24.	Semi Auto Papad Machine. <b>Capacity :- 350 Kg – 400 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 24 inch width.	<b>3.0 Hp</b>
25.	Semi Auto Papad Machine. <b>Capacity :- 350 Kg – 400 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 24 inch width.	<b>5.0 Hp</b>
26.	Semi Auto Papad Machine. <b>Capacity :- 450 Kg – 500 Kg.</b> <b>Model :- Standard.</b> Roller Size :- 10 inch dia X 27.5 inch width.	<b>5.0 Hp</b>
27.	Semi Auto Papad Machine. <b>Capacity :- 450 Kg – 500 Kg.</b> <b>Model :- Delux.</b> Roller Size :- 10 inch dia X 27.5 inch width.	<b>5.0 Hp</b>
28.	Semi Auto Papad Machine. <b>Capacity :- 450 Kg – 500 Kg.</b> <b>Model :- Super Delux.</b> Roller Size :- 10 inch dia X 27.5 inch width.	<b>7.0 Hp</b>
29.	Mini pulvelizer. <b>Capacity :- 20 Kg/Hour.</b> (2.0 Hp x 1 Phase).	<b>2.0 Hp</b>
30.	Mini pulvelizer. <b>Capacity :- 40 Kg/Hour.</b> (3.0 Hp x 3 Phase).	<b>3.0 Hp</b>
31.	Midium Pulvelieser Capcity :- 80 Kg / Hour (7.5 HP).	<b>7.5 HP</b>

### **ROTTY / RURRY / CHAPATI ROLLING & CUTTING MACHINE.**

01.	Rooty / Purry / Chapati Machine. Capacity 20 Kg / Hour. Model :- Standard. Roller Size :- 7" inch dia X 14 inch Width.	<b>2.0 HP</b>
02.	Rooty / Purry / Chapati Machine. Capacity 20 Kg / Hour. Model :- Delux. Roller Size :- 7" inch dia X 16 inch Width.	<b>3.0 HP</b>


## FLOUR KNEADING MACHINE. ( MIXTURE MACHINE ).



(1). FLOUR KNEADING MACHINE (Two In One)      (2). FLOUR KNEADING MACHINE (Heavy Duty In Line).

01.	V-Belt & Chine Drive Type.	Capacity:- 05 Kg (L)	1.0 HP
		Capacity :- 10 Kg (L)	1.5 HP
		Capacity:- 20 Kg (L)	3.0 HP
02.	Inline GearMotor Type.	Capacity :- 10 Kg (L)	1.5 HP
		Capacity:- 20 Kg(L)	2.5 HP
03.	Inline Gear Motor Type. <b>Heavy Duty.</b>	Capacity :- 10 Kg(H)	1.5 HP
		Capacity:- 20 Kg(H)	3.0 HP
04.	Inline Gear Motor Type. <b>Heavy Duty.</b>	Capacity :- 30 Kg(H)	5.0 HP
		Capacity:- 50 Kg(H)	7.5 HP
05.	Flour kneading & Flat(Roll)Making Machine.	(Two in One) 05 Kg(L)	1.5 HP
		(Two in One) 10 Kg(L)	2.0 HP
		(Two in One) 20 Kg(L)	3.0 HP

## Extruder machine ( Flat/Roll Making Machine).



## Extruder machine

01.	100 Dia. ( 4") For 150 to 250 Kg Machine.(a) Chain Drive (L). (b) Motor Type. (L).	2.0 Hp
		2.0 Hp
02.	125 Dia. (5") For 250 to 500 Kg Machine. (a) GearMotor Inline Type. (L). (b) GeardMotor Inline Type.(H).	3.0 Hp
		3.0 Hp
03.	150 Dia (6") For 750 to 1000 Kg Machine.(a) Gear Motor Inline Type. (L) (b) GeardMotor Inline Type.(H)	5.0 Hp
		5.0 Hp
04.	200 Dia (8") For 1000 to 1500Kg Machine.(a) GearMotor Inline Type. (L) (b) GeardMotor Inline Type.(H)	7.5 Hp
		7.5 Hp
05.	250 Dia (10")For1500Kg to 2000Kg Machine.GeardMotor Inline Type. (H)	10 Hp

## DRIER MACHINE



**( 1 ).Drier Machine Electrical.**



**(2). Drier Machine ( Diesel, Oil , Gas ,Wood Fire Drier).**

<b>01.</b>	Papad Drier Machine. (21'ft X 7 Belt)100 Kg (Electrical)Belt Width-20".	<b>10.5 HP</b>
<b>02.</b>	Papad Drier Machine. (21'ft X 9 Belt)150 Kg (Electrical)Belt Width-20".	<b>10.5 HP</b>
<b>03.</b>	Papad Drier Machine. (21'ft X 11 Belt)150 Kg (Electrical)Belt Width-20".	<b>11.5 HP</b>
<b>04.</b>	Papad Drier Machine. (21'ft X 13 Belt)250 Kg (Electrical)Belt Width-25".	<b>17.5 HP</b>
<b>05.</b>	Papad Drier Machine. (30'ft X 9 Belt)200 Kg (Electrical)Belt Width-20".	<b>11.5 HP</b>
<b>06.</b>	Papad Drier Machine. (30'ft X 11 Belt)300 Kg (Electrical)Belt Width-25".	<b>17.5 HP</b>
<b>07.</b>	Papad Drier Machine. (38'ft X 9 Belt)200 Kg (Electrical)Belt Width-20".	<b>12.5 HP</b>
<b>08.</b>	Papad Drier Machine. (38'ft X 13 Belt)350 Kg (Electrical)Belt Width-25".	<b>20.5 HP</b>
<b>09.</b>	Papad Drier Machine. (46'ft X 13 Belt)350 Kg (Electrical)Belt Width-29".	<b>22.5 HP</b>

## AUTO PAPAD MACHINE SET WITH DRIER.



## AUTO PAPAD MACHINE SET WITH DRIER.

01.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Standard.</b> Roller size :- 10 inch dia x 14 inch width. <b>Capacity :- 150Kg-200Kg.</b>	<b>14.5 Hp</b>
02.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Delux.</b> Roller size :- 10 inch dia x 14 inch width. <b>Capacity :- 150Kg-200Kg.</b>	<b>14.5 Hp</b>
03.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 14 inch width. <b>Capacity :- 150Kg-200Kg.</b>	<b>16.5 Hp</b>
04.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Fire drier) with 10 Kg Two in one. <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 14 inch width. <b>Capacity :- 150Kg-200Kg.</b>	<b>7.5 Hp</b>
05.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Standard .</b> Roller size :- 10 inch dia x 16 inch width. <b>Capacity :- 200Kg-220Kg.</b>	<b>15.5 Hp</b>
06.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading machine Chain drive & 4" Extruder Machine. Chain drive. <b>Model:- Delux.</b> Roller size :- 10 inch dia x 16 inch width. <b>Capacity :-200Kg-220Kg.</b>	<b>15.5 Hp</b>
07.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading Machine (Gearbox & Motor) & 4" Extruder Machine.(Gearbox & Motor). <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 16 inch width. <b>Capacity :- 200Kg-220Kg.</b>	<b>17.5 Hp</b>

08.	<b>Auto Papad Machine Set.</b> (Oil or Gas Fire drier) with 10 Kg Flour kneading Machine(Geardmotor) & 4” Extruder Machine.(Geardmotor) <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 16 inch width. <b>Capacity :- 200Kg-220Kg.</b>	<b>7.5 HP</b>
09.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Standard.</b> Roller size :- 10 inch dia x 18 inch width. <b>Capacity :- 230Kg-250Kg.</b>	<b>20.5 Hp</b>
10.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Delux.</b> Roller size :- 10 inch dia x 18 inch width. <b>Capacity :- 230Kg-250Kg.</b>	<b>20.5 Hp</b>
11.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 18 inch width. <b>Capacity :- 230Kg-250Kg.</b>	<b>22.5 Hp</b>
12.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Fire drier) with 10 Kg Two in one. <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 18 inch width. <b>Capacity :- 230Kg-250Kg.</b>	<b>10.5 Hp</b>
13.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Two in one. <b>Model:- Standard.</b> Roller size :- 10 inch dia x 20 inch width. <b>Capacity :- 300Kg-350Kg.</b>	<b>22.5 Hp</b>
14.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flourkneading machine Chain drive & 4” Extruder Machine. Chain drive. <b>Model:- Delux.</b> Roller size :- 10 inch dia x 20 inch width. <b>Capacity :-300Kg-350Kg.</b>	<b>27.5 Hp</b>
15.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading Machine (Gearbox & Motor) & 4” Extruder Machine.(Gearbox & Motor). <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 20 inch width. <b>Capacity :- 300Kg-350Kg.</b>	<b>27.5 Hp</b>
16.	<b>Auto Papad Machine Set.</b> (Oil or Gas Fire drier) with 10 Kg Flour kneading Machine(Geardmotor) & 4” Extruder Machine.(Geardmotor) <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 20 inch width. <b>Capacity :- 300Kg-350Kg.</b>	<b>12.5 Hp</b>
17.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flourkneading machine Chain drive & 4” Extruder Machine. Chain drive. <b>Model:- Standard.</b> Roller size :- 10 inch dia x 24inch width. <b>Capacity :-350Kg-400Kg.</b>	<b>27.5 Hp</b>
18.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flourkneading machine Chain drive & 4” Extruder Machine. Chain drive. <b>Model:- Delux.</b> Roller size :- 10 inch dia x 24 inch width. <b>Capacity :-350Kg-400Kg.</b>	<b>30 Hp</b>
19.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading Machine (GeardMotor) (L) & 4” Extruder Machine.(Geardmotor) (L). <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 24 inch width. <b>Capacity :- 350Kg-400Kg.</b>	<b>30 Hp</b>
20.	<b>Auto Papad Machine Set.</b> (Oil or Gas Fire drier) with 10 Kg Flour kneading Machine(Geardmotor)(L)&4” ExtruderMachine.(Geardmotor)(L) <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 24 inch width. <b>Capacity :- 350Kg-400Kg.</b>	<b>15 Hp</b>
21.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flourkneading machine Chain drive & 4” Extruder Machine. (Geardmotor) (L) <b>Model:- Standard.</b> Roller size :- 10 inch dia x 27 inch width. <b>Capacity :-450Kg-500Kg.</b>	<b>30.5 Hp</b>



22.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading machine (Gearmotor) (L) & 4" Extruder Machine. (Gearmotor) (L). <b>Model:- Delux.</b> Roller size :- 10 inch dia x 27 inch width. <b>Capacity :-450Kg-500Kg.</b>	<b>32.5 Hp</b>
23.	<b>Auto Papad Machine Set.</b> (Electrical drier) with 10 Kg Flour kneading Machine (GearMotor) (L) & 5" Extruder Machine.(GearMotor).(L) <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 27 inch width. <b>Capacity :- 450Kg-500Kg.</b>	<b>32.5 Hp</b>
24.	<b>Auto Papad Machine Set.</b> (OilOrGasFiredrier) with 10 Kg Flour kneading Machine(Gearmotor) (H) & 5" Extruder Machine.(Gearmotor) (H). <b>Model:- Super Delux.</b> Roller size :- 10 inch dia x 27 inch width. <b>Capacity :- 450Kg-500Kg.</b>	<b>17.5 Hp</b>
25.	<b>Auto Papad Machine Set.</b> (Electrical Drier )with20KgFlour kneading Machine.( Gearmotor )(L) & 5" Extruder Machine.(GearMotor)(L) <b>Model:- Delux</b> Roller size :- 12 inch dia x 31 inch width. <b>Capacity :- 600Kg-700Kg.</b>	<b>35 Hp</b>
26.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Firedrier)with20KgFlour kneading Machine.( GearMotor ) (H) & 5" Extruder Machine .(GearMotor) (H). <b>Model:- Super Delux</b> Roller size :- 12 inch dia x 31 inch width. <b>Capacity :- 600Kg-700Kg.</b>	<b>20.5 Hp</b>
27.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Fire drier) with 20 Kg Flour kneading Machine ( Gearmotor)(L) & 6" Extruder Machine. ( GearMotor) (L). <b>Model:- Delux.</b> Roller size :- 12 inch dia x 35 inch width <b>Capacity :- 900Kg-1000Kg.</b>	<b>22.5 Hp</b>
28.	<b>Auto Papad Machine Set.</b> (Oil Or GasFire drier) with 20 Kg Flour kneading Machine ( Gearmotor) (H) & 6" Extruder Machine. ( GearMotor) (H). <b>Model:- Super Delux.</b> Roller size :- 12 inch dia x 35 inch width. <b>Capacity :- 900Kg-1000Kg.</b>	<b>25.0 Hp</b>
29.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Firedrier)with20Kg Flour kneading Machine( Geard motor)(L) & 6" Extruder Machine. ( Gearmotor) (L). <b>Model:- Delux.</b> Roller size :- 12 inch dia x 39 inch width. <b>Capacity :- 1100Kg-1200Kg.</b>	<b>25.0 Hp</b>
30.	<b>Auto Papad Machine Set.</b> (Oil Or Gas fire drier) with 20 Kg Flour kneading Machine( Geard motor) (H) & 6" Extruder Machine ( Geard motor) (H). <b>Model:- Super Delux.</b> Roller size :- 12 inch dia x 39 inch width. <b>Capacity :- 1100Kg-1200Kg.</b>	<b>27.5 Hp</b>
31.	<b>Auto Papad Machine Set.</b> (Oil Or GasFiredrier)with20KgFlour kneading Machine( Gearmotor) (L) & 6" Extruder Machine ( Gearmotor) (L) <b>Model:- Delux.</b> Roller size :- 12 inch dia x 43 inch width. <b>Capacity :- 1400Kg-1500Kg.</b>	<b>27.5 Hp</b>
32.	<b>Auto Papad Machine Set.</b> (Oil Or GasFiredrier)with20Kg Flour kneading Machine( Geard motor)(H) & 6" Extruder Machine ( GearMotor)(H). <b>Model:- Super Delux.</b> Roller size :- 12 inch dia x 43 inch width. <b>Capacity :- 1400Kg-1500Kg.</b>	<b>32.5 Hp</b>
33.	<b>Auto Papad Machine Set.</b> (Oil Or GasFiredrier)with30Kg Flour kneading Machine( Gearmotor) (L) & 8" Extruder Machine ( Gearmotor) (L) <b>Model:- Delux.</b> Roller size :- 12 inch dia x 47 inch width. <b>Capacity :- 1800Kg-2000Kg.</b>	<b>37.5 Hp</b>
34.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Firel drier) with30 Kg Flour kneading Machine( Gearmotor)(H) & 8" Extruder Machine ( Gearmotor)(H). <b>Model:- Super Delux.</b> Roller size :- 12 inch dia x 47 inch width. <b>Capacity :- 1800Kg-2000Kg.</b>	<b>40 Hp</b>

35.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Firedrier)with50Kg Flour kneading Machine( Geard motor) (L) & 10” Extruder Machine (Geardmotor)(L). <b>Model:- Delux.</b> Roller size :- 12 inch dia x 51 inch width. <b>Capacity :- 2200Kg-2400Kg.</b>	<b>40 Hp.</b>
36.	<b>Auto Papad Machine Set.</b> (Oil Or Gas Firl drier) with 50 Kg Flour kneading Machine( Geard motor)(H) & 10” Extruder Machine. (Geardmotor) (H) <b>Model:- Super Delux.</b> Roller size:- 12 inch dia x 51 inch width. <b>Capacity :- 2400Kg-2500Kg.</b>	<b>45 Hp.</b>

## Terms & Conditions .

- (A) **Packing** :- At Actual Extra or 2 % of Order Value.
- (B) **Tax** :- 4% Vat Tax & 1 % Add. Tax. Or 5% CST Tax Or 2% CST Against “ C ”
- (C) **Insurance** :- At Actual Extra.
- (D) **Delivery** :- (1) 30 to 90 days from the date of Receiving your Confirm Order With Advance & Subject To Our Confirmation.  
(2) We Are not Responsibale for any loss Ordamage Due to late Or non Delivery as per Schedule. we keep Our rights Reserved to Cancel the Order at any point Of time.
- (E) **Payment** :- 25 % Advance & 75% at the time of Delivery At Anand ( GUJARAT).
- (F) **FOR** :- V.U. Nagar. Anand. (Gujarat).
- (G) **Warranty** :- (1) We Understand to make goods by Replacement of Repair, Defects, Arising out of Manufacturing Defect Within 1 Year of the date of Invoice.  
(2) The Defective Parts Will be Returned by the Buyer to our Works. Bought out Components are Guaranteed by extent manufacturer Warranty  
(3) Conveyor Belts & Cutting Die are not Covered Under any Sort Of Warranty.  
(4) Electrical Components Motors, Drives, Switches have Manufacturers Warranty. In Case of defects arising in any Such Component it Should be Referred to its Original Manufacturer.
- (H) **Buyer Scope** :- (1) Machine Oil, Cable, Wire, Electrical Starters to be Provided by buyer.  
(2) In Case of Installation & Service at the Buyer Site all the Charges of Loading Travelling Expenses will be Pay by Buyer in advance Payment.  
(3) Out of Country Travel the Buyer will be Provide the Visas & the Costs involved in Obtaining Visa.  
(4) Insulation On Hot Air Pipe Line :- Extra. ( BUYER SCOPE).
- ( I ) **Rotty /Purry /Chapatty Machine.:-** We Are Offer an Sizing & Cutting Machine Only.  
(No Baking & Fraying Unit).

**Note :- Advance is not Refundable if the order is cancelled.**

**TIN ( GST ) 24151001916 Dt : 30-09-05**

**TIN ( CST ) 24651001916 Dt : 30-09-05.**

**Thanking You,  
Gayatri Engineering. Works.**

**Proprietor.**